Hertoghe Oxytocin Assessment (Questionnaire #1)

Please fill out the questionnaire below.

Do you show/feel the following:	No Never	Slight Rarely	Moderate Regularly	Plenty Often	Maximum Always	SCORE
	(0)	(+/-)	(+)	(++)	(+++)	
Happiness	1	2	3	4	5	
Warm Feelings for Other People	1	2	3	4	5	
Social Interactions	1	2	3	4	5	
Easily Touch Other People	1	2	3	4	5	
Fall in Love	1	2	3	4	5	
Food Satisfaction / Fullness at Meals	1	2	3	4	5	
Lubrication (Mucous Secretions) of Glans Pens (Men) or Vagina (Women) During Sexual Foreplay	1	2	3	4	5	
Men: Ejaculations Women: Orgasms	1	2	3	4	5	
Dependence On Others' Opinion	1	2	3	5	7	
Possessiveness of Loved One	1	2	3	5	7	
Jealousy	1	2	3	5	7	
Fear When Left Alone	1	2	3	5	7	
Pale Face That Never Flushes	5	4	3	2	1	
Stressed	5	4	3	2	1	
Aggressiveness, Irritability	5	4	3	2	1	
Muscle-Tendon Pains	5	4	3	2	1	
Social Isolation	5	4	3	2	1	
Give the Impression That Others Easily Bother You	5	4	3	2	1	
Detached From Others	5	4	3	2	1	
Experience the World as a Cold, Not Funny Place	5	4	3	2	1	
TOTAL SCORE						

This information comes from Dr. Thierry Hertoghe's book, *Passion, Sex and Long Life - the Incredible Oxytocin Adventure*, ISBN 978-2-9599713-4-1, January 2010, Luxemburg, by International Medical Books/Archimedial, 4B Route d'Arlon, L-8399, Windhof, Luxemburg The book is available for sale at Belmar Pharmacy for \$50.

Interpretation of the Oxytocin Assessment

Results used as a SCORE to screen for oxytocin insufficiency

Score	Oxytocin Status	Therapy
0-25	Severe Deficit	Urgent intervention: oxytocin tablets, or injections in case of fibromyalgia.
25-49	Deficit	Take daily oxytocin tablets.
50-65	Suboptimal Level	Possible aid through natural ways (touching, hugging, singing, meeting people, etc.) to
		increase oxytocin; oxytocin tablets are often necessary daily or on occasions.
66-81	Optimal Level	No treatment is necessary, except occasionally to enhance sexual interactions or to improve
		social relations.
82-97	High Level	High levels may not hurt if no excessive negative feelings such as dependence and jealousy
		are involved.
98-108	Excess (Rare)	Above 100: intervention with an oxytocin blocker, such as naloxone, may be necessary.